



NEW

DS SERIES

FLOORWASH

DOUBLE SYSTEM

Ultra-fast drying for intensive use


Thanks to the Double System innovation, Floorwash becomes even more versatile and functional.

With models available in different sizes, the DS range becomes indispensable for highly intensive use needs without sacrificing the ease of handling and lightness that have always characterized Floorwash products.



Thanks to the **double drying function**, Floorwash DS is able to work perfectly on any type of surface, from the smoothest to the most porous.

The DS4 model guarantees a yield of up to **800 m²/h**, ensuring maximum performance.





Suction engine with digital ignition

The suction motor allows ultra-fast drying on any surface. The lithium ion battery guarantees **up to 55 minutes** of continuous use with active suction.

Removable Squeegee

The quick drying system is made even more functional by the **removable rear squeegee**, which allows for simple and quick maintenance. Furthermore, by removing the squeegee and its metal structure, it is possible to use Floorwash DS with only mechanical collection without excessive weights.



Recovery tray with quick removal system

Thanks to the practical magnetic attachment system, emptying the **additional recovery tray** becomes even easier and faster. In this way it is possible to save time and energy, even in case of intensive use.

Technical sheet



	DS2	DS3	DS4
Machine weight (without battery and water)	12,9 Kg	14,7 Kg	17 Kg
Machine weight (without battery, water, squeegee, vacuum recovery tank)	10,7 Kg	12,2 Kg	14,2 Kg
Machine height	1160 mm		
Machine width	285 mm	385 mm	485 mm
Machine length	540 mm		
Front brush	Ø 88,5 mm 700 Rpm		
Rear brush	Ø 54 mm 1140 Rpm		
Working width	235 mm	335 mm	435 mm
Squeegee width	330 mm	445 mm	560 mm
Cleaning area	400 mq/h	600 mq/h	800 mq/h
Brushless motor power	580 Watt - 36 V DC		
Brushless vac motor By-Pass single-stage	100 W - 36 V DC		
Total storage capacity	3 L		
Recovery tank capacity	1 L	1,8 L	2,8 L
Recovery tank (vacuum)	0,8 L		
Battery autonomy (with vacuum on)	55 min	50 min	45 min
Battery autonomy (without vacuum on)	70 min	65 min	60 min
Recharging time	100 min		
Sound pressure (medium)	75 dB (A)		

FLOORWASH[®]

Floorwash Srl

Via Camillo Golgi, 15 - 25036 Palazzolo s/o (BS)
 Tel: +39 0303372724 - Whatsapp: +39 0303372724
 customerservice@floorwash.com